


CABINET SUPPORT

橱柜支撑

Cabinet Support 橱柜支撑

Material: Steel+Plastic
Finish: Silver
Load bearing: 60N 80N 100N 120N 150N
Pneumatic support can be purchased or custom-built for proper strength based on weight of door panel

主要材质: 铁+塑料
表面处理: 银色
额定承重: 60N/80N/100N/120N/150N
可根据门板重量购买适当力度的气撑
或按照客户定制




CS02



CS03



CS06 Down-open



CS10 6"



CS11 8"



CABINET SUPPORT

橱柜支撑

Cabinet Support 橱柜支撑



More products here

CS13



CS22



CS25



CS26




CS28



CS29



Optional seal type:
密封垫材料



Brass

ABS

Standard up
常规上翻

CS**

Any up
随意上翻

CSA**

Soft up
缓冲上翻

CSF**

Model 产品型号	80°				90°				110°			
	300	400	500	600	300	400	500	600	300	400	500	600
80N	≤2.6	≤2.2	≤1.7	≤1.3	≤2.4	≤2.0	≤1.6	≤1.2	≤2.1	≤1.7	≤1.4	≤1.0
100N	≤3.3	≤2.7	≤2.2	≤1.6	≤3	≤2.5	≤2.0	≤1.5	≤2.6	≤2.2	≤1.7	≤1.3
120N	≤4	≤3.3	≤2.6	≤2	≤3.6	≤3.0	≤2.4	≤1.8	≤3.2	≤2.6	≤2.1	≤1.6

Note: Please choose suitable model & door weight as per this table to the best result.

注: 请按此表格选择合适的型号及门的重量, 达到最佳效果。

CABINET SUPPORT
橱柜支撑



Cabinet Support 橱柜支撑

CS30



Material: Iron+Plastic
Surface Treatment: Silver
Rated Loading: 60N/80N/100N/120N/150N
Total Length: 290MM

主要材质:铁+塑料
表面处理:银色
额定承重: 60N/80N/100N/120N/150N
总长: 290MM

CS31



Material: Iron
Surface Treatment: Black
Rated Loading: 50N-350N
Total Length: 270/300MM

主要材质:铁
表面处理:黑色
额定承重: 50-350N
总长: 270/300MM

CS32 Adaptive buffer
自适应缓冲器



Materials:Plastic
Finish:Black
Available:Up-turning wooden door
Requires the use of Gas Spring, Easy installation

主要材质:塑料.
表面处理:黑色/白色
适用范围:橱柜的上翻木门
搭配气撑使用, 安装简便

CABINET SUPPORT
橱柜支撑



More products here

Cabinet Support 橱柜支撑

CS33



Materials:Steel+ Plastic
Finish:Painting
Available:Up-turning wooden door and aluminum-frame door
Requires the use of hinges
Easy installation
Approximate opening angle of 75-90° depending on the hinge used
Front height from 200mm up to 600 mm
Many color variants
It has options for upward opening cabinets and downward opening cabinets

主要材质:铁+塑料.
表面处理:喷漆
适用范围:橱柜的上翻木门和铝框门
搭配铰链使用
安装简便
开启角度75°-90°, 受铰链限制
适合200-600mm高度的柜门使用
多色可选
可选配上翻门气撑或下翻门气撑

CS34



Materials:Steel+ Plastic
Finish:Grey/Black/White
Available:Up-turning wooden door
Requires the use of hinges, Easy installation

主要材质:铁+塑料.
表面处理:灰色/黑色/白色
适用范围:橱柜的上翻木门
搭配铰链使用, 安装简便

CABINET SUPPORT

橱柜支撑





Flap Stay Support 随意停支撑

Material: Zinc alloy

Finish: Nickel

Pneumatic support can be purchased or custom-built for proper strength based on weight of door panel

主要材质: 锌合金
表面处理: 镀镍
可根据门板重量购买适当力度的气撑
或按照客户定制



FS030



FS031B



FS031



FS050



FS070



FS020



FS090




CABINET SUPPORT

橱柜支撑

Cabinet Support 橱柜支撑

FS99

Lip Stay Support (soft closing)
随意停支撑(自带缓冲)




Material: Galvanized steel, ABS
Finish: Gray, Silver

主要材质: 镀锌板, ABS塑料
表面处理: 银色

FS110

Lif-up flap support (soft closing)
气动平移门上翻支撑架



最大门高 Max height door	柜体内高 Internal cabinet height	最大载重 Max load
360mm	312-342mm	18KG
390mm	342-372mm	18KG
440mm	372-402mm	18KG


长度L (MM)	可调尺寸(MM) Adjusting measure
600	310-600
900	610-900
1200	910-1200
1500	1210-1500
1800	1510-1800

Material: Aluminium alloy+Zinc alloy+Plastic
Finish: Painting

主要材质: 铝合金+锌合金+塑料
表面处理: 喷漆

FS111

Up-over lift support (soft closing)
气动斜移门上翻支撑架



Material: Aluminium alloy+Zinc alloy+Plastic
Finish: Painting


主要材质: 铝合金+锌合金+塑料
表面处理: 喷漆

最大门高 Max height door	柜体内高 Internal cabinet height	最大载重 Max load
720mm	372-720mm	18KG

长度L (MM)	可调尺寸(MM) Adjusting measure
600	310-600
900	610-900
1200	910-1200
1500	1210-1500
1800	1510-1800

FS112

Lip Stay Support (soft closing)
随意停支撑(自带缓冲)



Material: Zinc alloy+Plastic
Finish: Painting

主要材质: 锌合金+塑料
表面处理: 喷漆

上边门最大高度 Max height of upper door	柜体内高 Internal cabinet height	最大载重 Max load
240(480)mm	440-550mm	15KG
300(600)mm	550-610mm	15KG
360(720)mm	610-700mm	15KG
400(800)mm	700-770mm	15KG
450(900)mm	770-925mm	15KG



More products here

CABINET SUPPORT

橱柜支撑

Cabinet Support 橱柜支撑




FS98A

Lift-up flap support
气动平移门上翻支撑架



Material: Aluminium alloy+Steel+Plastic
Finish: Painting. Powder

主要材质: 铝合金+铁+塑料
表面处理: 喷漆、喷粉




FS37

Lift-up flap support
液压平移门上翻支撑



Material: Steel
Finish: Nickel

主要材质: 铁
表面处理: 镀镍





FS39

Bifold Lift support
折叠门上翻门支撑



Material: Steel
Finish: Zinc

主要材质: 铁
表面处理: 镀锌



Material: Steel+Plastic
Finish: Painting. Powder

主要材质: 铁+塑料
表面处理: 喷漆、喷粉

门高 Door height	A	B	C	D
340	116	232-s	225	50
340	104	242-s	230	45
340	91	253-s	235	35


FS081B

Heavy duty Hydraulic stay
重型随意停支撑



Material: Zinc alloy
Finish: Nickel
Damper: with & without
主要材质: 锌合金
表面处理: 镀镍
阻尼器: 可选

②	Length	Height
75°	207	224
90°	185	192
110°	145	192



CABINET SUPPORT

橱柜支撑

Cabinet Support 橱柜支撑



More products here


FS083



Material: Zinc alloy
Finish: Nickel
Damper: with & without

主要材质: 锌合金
表面处理: 镀镍
阻尼器: 可选

FD (mm)	16	19	22	24
Y (mm)	56	58	61	63




FS083B



Material: Zinc alloy
Finish: Nickel
Damper: with & without

主要材质: 锌合金
表面处理: 镀镍
阻尼器: 可选

FD (mm)	16	19	22	24
Y (mm)	56	58	61	63



FS084



Material: Zinc alloy
Surface Treatment: Nickel
Damper: with & without

主要材质: 锌合金
表面处理: 镀镍
阻尼器: 可选

FD (mm)	16	19	22	24
Y (mm)	56	58	61	63

FS085



Material: Zinc alloy
Surface Treatment: Nickel
Damper: with & without

主要材质: 锌合金
表面处理: 镀镍
阻尼器: 可选

FD (mm)	16	19	22	24
Y (mm)	56	58	61	63

CABINET SUPPORT

橱柜支撑




Cabinet Support 橱柜支撑

FS36



Up pocket door slide (soft closing)
上翻门滑轨(自关缓冲)

Material: Zinc alloy, ABS, POM
Finish: Galvanized
Capacity: 3-10KG
Door height: Min 280mm
Slide Length: 250-650mm

材质: 锌合金, ABS, POM
表面: 镀锌
适用门重: 3-10kg
适用门高: 最小280mm
滑轨长度: 250-650mm



门板Door 高度Height 个数量Number	400×700mm 3-4KG	400×1000mm 5-7KG	400×1200mm 6-8KG	400×1500mm 7-10KG	400×1800mm 10-12KG
350mm	2	2	2	2	2
400mm	2	2	2	2	2
450mm	2	2	2	2	2



FS102

Upward ultra-thin support



Material: Zinc alloy+Plastic
Finish: Nickel plating, Chrome plating
Cabinet height: 250-600mm
Cabinet width: 1600mm
Door thickness: 16-25mm

材质: 锌合金+塑料
表面: 镀镍, 镀铬
柜体高度: 250-600mm
柜体宽度: 1600mm
门板厚度: 16-25mm

CABINET SUPPORT

橱柜支撑

Cabinet Support 橱柜支撑

FS101

Upward hydraulic support
上翻液压支撑



快装型
Quick type



阻尼
Damper

Material: Zinc alloy+ Plastic
Finish: Nickel plating, Chrome plating
Max capacity: 10.8KG

1. The lift system is suitable for wall cabinets and tall cabinets with low height
2. With soft closing under angle 25°, max opening angle is 100°
3. No need hinges for cabinet
4. Easy to open, free stop function
5. Force of opening or closing is adjustable

材质: 锌合金+塑料
表面处理: 镀镍, 镀铬
最大承重: 10.8KG

1. 上翻支撑适用于柜体高度较低的吊柜和高柜
2. 关门角度25°以下具有缓冲功能, 最大开启角度100°
3. 柜体无需安装铰链
4. 开启轻松, 任意角度悬停
5. 开启、悬停、闭合力度可调节



使用建议 Usage Suggestion

产品型号 Model	按照力矩选择 Selection according to the LF		按照门重选择 Selection according to the Weight		
	柜门高度 Cabinet Height-KH(MM)	力矩 LF	柜门高度 Cabinet Height-KH(MM)	最小承重 Min. Weight(kg)	最大承重 Max. Weight(kg)
FS101-350-700	350-700	2800-3800	350	8.0	10.8
			400	7.0	9.5
			450	6.2	8.4
			500	5.6	7.6
			550	5.0	6.9
			600	4.7	6.3
			650	4.3	5.8
FS101-400-700	400-700	3500-5800	700	4.0	5.4
			750	4.0	5.4
			800	4.0	5.4
			850	4.0	5.4
			900	4.0	5.4
			950	4.0	5.4
			1000	4.0	5.4

柜体高度 KH350-700mm, 柜体净深至少 260mm

若力矩在重叠区域, 建议选择力矩大的型号

若超出可选力矩范围, 建议特殊定制

柜体高度 KH

面板重量 FW

力矩 LF= 柜体高度 KH(mm)x(上下面板重量+2倍拉手重量)FW(kg)

Cabinet height KH 350-700mm, depth should be 260mm at least.

If the calculated LF is in the overlap area, selects the larger model.

If out off the LF areas, we recommend to make customized design.

KH: Cabinet Height

FW: Front Weight

LF=KH(mm)x(weight of doors + handle weight x 2)FW(kg)



CABINET SUPPORT

橱柜支撑

Cabinet Support 橱柜支撑

FS100 Flap-up cabinet support



Material: Zinc alloy + Plastic
Finish: Nickel plating, Chrome plating
Max capacity: 6KG

Available: Up-turning wooden door and aluminum-frame door
1. The lift system is suitable for wall cabinets and tall cabinets with low height
2. With soft closing under angle 25°, max opening angle is 100°
3. No need hinges for cabinet
4. Easy to open, free stop function
5. Force of opening or closing is adjustable
6. Easy assembly and adjustment
7. Different color options for decoration cover

材质: 锌合金+塑料
表面处理: 镀镍、镀铬
最大承重: 6KG

适用范围: 橱柜上翻木门和铝框门
1. 上翻支撑适用于柜体高度较低的吊柜和高柜
2. 关门角度25°以下具有缓冲功能、最大开启角度100°
3. 柜体无需安装铰链
4. 开启轻松, 任意角度悬停
5. 开启、悬停、闭合力度可调节
6. 免工具安装, 安装拆卸方便快捷
7. 装饰盖多色可选

FS227 Up and over lift system



Material: Zinc alloy + Plastic
Finish: Nickel plating, Chrome plating
Max capacity: 13KG

Available: Up-turning wooden door and aluminum-frame door
1. Silent and effortless closing, because of interior damper
2. Easy to open. Stop at any opening position. Provides excellent access to the cabinet interior
3. Huge application variety. Easy to assembly and adjustment
4. Stability, even with wide fronts. Excellent durability
5. Door handle can be installed in ideal position
6. No protruding parts

材质: 锌合金+塑料
表面处理: 镀镍、镀铬
最大承重: 13KG
适用范围: 橱柜上翻木门和铝框门


1. 关闭轻柔, 皆因产品带阻尼
2. 轻松开启, 无极悬停, 方便拿取柜内物品
3. 应用范围广, 安装简单, 调节方便
4. 稳定性强, 宽面板亦然, 使用寿命长
5. 可自由选择拉手的安装位置
6. 无突出的部件

CABINET SUPPORT

橱柜支撑

Cabinet Support 橱柜支撑

FS228



Material: Zinc alloy + Plastic
Finish: Nickel plating, Chrome plating
Max capacity: 6KG

Available: Up-turning wooden door and aluminum-frame door
1. The Vertical Lift-up Support makes the whole panel open parallel upwards the max opening angle is 135°
2. Easy to open, under angle 60° - 110° with free stop function, and can soft open at angle 110° - 135°
3. Force of opening or closing is adjustable
4. With soft closing function under angle 30°
5. Easy assembly and adjustment

材质: 锌合金+塑料
表面处理: 镀镍、镀铬
最大承重: 6KG

适用范围: 橱柜上翻木门和铝框门

1. 上翻平移门支撑可使整块面板平行向上开启, 最大开启角度135°
2. 轻松开启, 60° - 110°内任意角度悬停, 110° - 135°自动上悬
3. 开启、悬停、闭合力度可调节
4. 关门角度30°以下具有缓冲功能
5. 几乎免工具安装, 调节方便快捷

FS327 Up and over lift system



Material: Zinc alloy + Plastic
Finish: Nickel plating, Chrome plating
Max capacity: 13KG
Available: Up-turning wooden door and aluminum-frame door

1. Novel appearance.
2. Soft closing, with adjustable damper (soft close speed can be adjusted).
3. The opening angle is adjustable.
4. With soft opening function.
5. Loading capacity is adjustable.
6. With positioned telescopic adjustment arm, makes each step of installation simpler.
7. Front height from 700mm up to 1040mm, no need to replace the arm.
8. Quick installation base, with screw adjustment.
9. Quick installation connected hinges, with anti-pinch function.
10. Easy installation because of each different model with independent installation paper for guide.
11. Cover colors are optional, special colors can be customized.

材质: 锌合金+塑料
表面处理: 镀镍、镀铬
最大承重: 13KG
适用范围: 橱柜上翻木门和铝框门

1. 外观新颖
2. 闭门缓冲, 阻尼可调节(缓冲速度可调)
3. 开启角度可调节
4. 开门缓冲, 缓慢向上开启
5. 承重力度可调节
6. 定位卡式伸缩调节杆, 让每步安装更简约
7. 柜体高度适用700-1040mm, 无需更换伸缩臂
8. 快装底座, 螺钉调节
9. 快速安装连接铰链, 具有防夹手功能
10. 安装方式便捷, 每个规格配独立安装卡纸
11. 外壳多色可选, 特殊颜色可定制



More products here